

Clones & Cuttings 3- Tier Walden White LED Grow Tent Kit



Maximum Strength 3-Tier Shelving

3 fixed shelves provide up to 24 ft² of grow space and support up to 100 lbs each. Shelves are spaced 18" apart to easily accommodate plants, grow trays and lighting.



EcoWhite PEVA – Triple Layered

This BPA-free, phthalate-free, chlorine-free and low-VOC material creates a safe, stylish and easy to clean growing area compared to traditional mylar tents.



Vapor Tabs for High Humidity

Innovative Vapor Tabs direct humidity buildup on the tent interior straight into the spill tray, preventing leaking through the tent floor and creating a contaminated space.



Infinity View Front Windows

Extra-large front viewing windows let growers check on plants without disturbing humidity or temperature. Window covers roll back and secure with velcro straps.


3-Tier Walden Grow Tent Features



Heavy Duty Zippers



Max Strength Shelves




EcoWhite PEVA Liner



Dual-Cinching Ports



Solid Locking Frame





Innovative Vapor Tabs

Clones & Cuttings 3- Tier Walden White LED Grow Tent Kit



3-Tier Walden Grow Tent Contents



Installation is quick, simple and requires no tools. Tent may be cleaned using soap and water or other standard hydroponic sanitizers.

Clones & Cuttings LED Grow Light Kit Contents



INTEGRATED STRIP T5 4FT LED GROW LIGHT

- Kit includes 6 fixtures with 120V power/daisy chain cables
- Clone Boost Spectrum
- IP65 waterproof rated fixture
- Up to 16 fixtures (120V) can be daisy chained on a single circuit
- 40,000-hour lifetime and a 3-year warranty



1/8" Hydroponic Hangers


- Kit includes 12 hangers
- Heavy duty 1/8" braided rope with carabiner and ratchet
- Fully adjustable and auto locking
- Supports up to 150 lbs/pair
- Designed to hang lighting, fan, filter, etc.

What Can I Grow?

The Clones & Cuttings &-Tier Walden White LED Grow Tent Kit is designed to promote rapid rooting, healthy growth, and vibrant early development in clones, cuttings, and seedlings. Ideal for propagation trays, cloners, or hydroponic setups, this kit supports hearty growth of nursery plants under optimized full-spectrum light fixtures should be placed 6-12" above plants. Perfect for growers focused on strong starts before transplanting to larger systems or environments

Clone Boost Spectrum

The Clone Boost Spectrum is a commercial grade full-spectrum light designed specifically to foster rapid rooting, robust plant health, and vibrant early development in both stem cuttings and seedlings. This spectrum utilizes blue 450 nm, deep red 660 nm red chips and white 5000K CCT chips to enhance visual inspection and ensure optimal growth conditions.



Clones & Cuttings 3- Tier Walden White LED Grow Tent Kit



SPECIFICATIONS		CLONES & CUTTINGS 3- TIER WALDEN WHITE LED GROW TENT KIT	
Model number		AG/24TENT/W/3S/9K	
Included products		1xWalden 3-Tier Tent, 6xIntegrated Strip T5 4FT LED Clone Grow Lights, 12x1/8" Hydroponic Hangers	
Color		EcoWhite	
Dimensions (l x w x h)		49.21"x26.77"x75.98" (125x68x193cm)	
Weight		46.3 lbs (21 kg)	
Tent material		Triple-layered 100% PEVA (Exterior 600D canvas / Center light blocking vinyl / Interior reflective vinyl)	
Pole diameter		0.87" (22mm)	
Pole material		White powder coated steel	
Ceiling pole max load capacity		110 lbs (49.9 kg)	
Shelves		3@49.21"x26.77" (125x68cm)	
Shelf max load capacity		100 lbs (45.4 kg)	
Doors		2 main front doors	
Windows		2@21.26"x59.06" (54x150cm)	
Ducting ports		3@6" (15cm)	
Electrical ports		2@4" (10cm)	
Vents		1@14.17"x8.27" (36x21cm)	
Light-blocking zipper covers		2	
Tent Warranty		2 years	

SPECIFICATIONS		INTEGRATED STRIP T5 4FT LED CLONE GROW LIGHT	
Model number		AG/24STRIP/4FT9S	
Power		24 watts	
Input voltage		120-277V 50-60Hz	
Rated power factor		>95%	
PPF output (400-700 nm)		42 µmol/s	
PBAR output (280-800 nm)		46 µmol/s	
PPF efficacy		2.00 µmol/J	
PBAR efficacy		2.04 µmol/J	
Spectrum		Clone Boost Spectrum	
CRI		88 (typical)	
Daisy chain capable		Yes (max 16@120V/28@208V/32@240V/36@277V)	
Dimensions (l x w x h)		46"x1.10"x0.94" (1168x28x24mm)	
Weight		0.72 lbs (327 g)	
Dimmable		No	
Lifetime		40,000 hours	
Warranty		3 years	
Optional accessories		240V plug adapter	

AG-24TENT-W-3S-SK-DS-020824